

innovation technology quality design innovation technology quality design innovation

## Salamander Streamline 76

 System Salamander



## Colour schemes



Grey  
SAL 02  
HS 436-5049



Dark green  
SAL 03  
HS 436-5021



Dark Red  
SAL 06  
HS 436-5013



Beige grey  
SAL 09  
REN 1019-050



Green  
SAL 10  
REN 6005050-167-580



Steel blue  
SAL 11  
HS 436-5006



Blue  
SAL 14  
REN 5007050-167-580



Maroon  
SAL 19  
REN 3005050-167-580



Nut  
SAL 21  
COVA 49201



Swamp oak  
SAL 25  
REN 2052089-167-580



Mahogany  
SAL 26  
COVA 49107



Summer Douglas  
SAL 27  
REN 3152009-167-580



Alux DB703  
SAL 37  
HS 436-1014



White antique  
SAL 39  
HS 436-5053



Vintage oak  
SAL 41  
HS 436-3086



Polar oak  
SAL 43  
HS 456-3081



Birke rose  
SAL 44  
HS 436-3031



Mountain pine  
SAL 50  
HS 436-2009



Gold oak  
SAL 51  
COVA 49158



Oregon 4  
SAL 52  
REN 1192001-167-580



Cream  
SAL 59  
HS 456-5015



Vermont  
SAL 60  
COVA 49254



Meranti  
SAL 61  
COVA 49233



Tiamia  
SAL 62  
COVA 49237



Montana  
SAL 63  
COVA 49240



Cheyenne  
SAL 64  
REN 3214090-195



Teak arte  
SAL 65  
HS 436-3052



Anthracite brushed  
SAL 67  
HS 436-1006



Aluminium brushed  
SAL 69  
HS 436-1001



Anthracite  
SAL 70  
HS 436-5003



Dark brown  
SAL 71  
COVA 49116



Agate grey  
SAL 72  
REN 7038050-167



Light grey  
SAL 73  
REN 7035050-167-580



Basalt grey  
SAL 74  
REN 7012050-167-580



Quartz  
SAL 78  
REN 7039050-167



Basalt grey sandgrain  
SAL 84  
HS 436-7032



Signal grey sandgrain  
SAL 87  
REN 7004050-083-580



Anthracite sandgrain  
SAL 88  
HS 436-7003



Grey quartz sandgrain  
SAL 90  
HS 436-7047

Colours may differ from the real status.



# Salamander Streamline 76

## PERFECT SHAPE

Attractive rounded profile depth of 3.25" combined with the latest window technology.

## 5-CHAMBER SYSTEM

Construction with 2 sealing levels guarantees optimum thermal insulation and sound protection up to 47 dB.

## LARGE STEEL REINFORCEMENT

Steel reinforcements guarantee the longevity and stable profiles.

## EXTREMELY WHITE

Snow-white and lustre profile, made of high quality PVC surface, weather-proof and easy to care. Although there is a possibility to apply a wide array of standard and wood-imitating colours.

Innovative quality



Comfort of living and security



## TECHNICAL SPECIFICATIONS

Chamber	5
Gasket	2
Profile depth	3"
Glazing	Standard glass bundle: 24 mm, optionally: 48 mm
Seal	Grey, black
Fittings	Maco Multi Matic
Handle	Standard
Cover	White
$U_f$	0.23 (US)
$U_w^*$	0.23 with compound glass $U_g=0.19$ (US)
RAL colour	From 9003 to 9016
Class	B

\*Reference window: 48" x 58"




# Salamander Streamline 76


## TECHNICAL SPECIFICATIONS

Frame	250 221
Sash	251 021
Glazing bead (24 mm)	413 833

Soft-Line




Connectors  
Extensions  
Auxiliary profiles  
mesurements in mm




index 416 160

Extension 30 mm




index 416 163

Extension 40 mm




index 416 164

Extension 60 mm




index 416 170

Extension 100 mm




index 416 176

Static connector




index 416 273

90° coupling




index 416 210

135° coupling




index 416 240

Pipe connector




index NP0160

Small-H




index 406 255

Pipe adapter




index 416 251

Sill 165 mm




index 416 115

Sill 145 mm



index 416 110

Sill 77 mm



index 416 126



Genesis Building Products LLC

[www.genesisbuildingpro-shop.com](http://www.genesisbuildingpro-shop.com)

Email: [info@genesisbuildingpro.com](mailto:info@genesisbuildingpro.com)



+1 903 600 5040

